



READYMADE GATES

LTD



TRADE CATALOGUE

WELCOME TO OUR 2022 BROCHURE.

Based in Shenstone, near Lichfield, Staffordshire, RMG are the UK's largest **TRADE** supplier of quality aluminium residential gates.

We have a purpose-built unit of 25,000 sq. ft accommodating 4,000 residential double gates and 10,000 pedestrian gates in a wide range of sizes. RMG are able to offer bespoke colours and modifications in-house to our standard gates to suit your clients' specifications.

We are constantly increasing our stock levels to offer the best service and ensure we always have availability for our partners. Our commitment to stock means we can offer a prompt, 7 - 10 working day delivery service, using our own transport covering England, Scotland and Wales.

Choose from a large range of both contemporary and traditional gate designs, available in a range of colours:



Black
(RAL 9005)



Grey
(RAL 7016)



Bespoke colours
available on request.

5-year warranty

RMG aluminium gates are naturally corrosion resistant, low maintenance and supported by a 5-year warranty on the structure and finish.



Cost effective

Our partners can source a robust gate without compromising on quality.



Driveway gates

Double aluminium residential gates cover an opening spanning up to 4,500mm, with heights up to 2,200mm.

Coupled with the option of additional support posts and adjustable hinges, these gates cater for the majority of driveway entrances.



Pedestrian gates

Pedestrian gates cover an opening spanning up to 1,200mm, with heights up to 2,200mm and include, as standard, adjustable hinges, lockable handle and lock keep.



We welcome the opportunity to meet at your office to discuss all the options available. Alternatively, we would like to extend an open invitation for you to visit our office and custom-built showroom.

WHY USE READYMADE GATES?

Elegant, modern and aesthetically pleasing to the eye - the perfect solution to protect your property.

Our range of aluminium gates are in stock and ready for delivery with just the click of a button.

Our designs bring a contemporary twist to the traditional style, making them suitable for all types of properties.

The commitment to stock means we can offer our customers significant savings and fast delivery times compared to other suppliers who offer a bespoke service which can take up to 6 - 8 weeks delivery.

A standard set of double, manual swing gates can be installed in less than two hours.

RMG can also accommodate all types of automation such as underground operators and automatic rams.

All aluminium gates have a hard-wearing, polyester powder-coated finish.

We offer both traditional and contemporary style of aluminium gates as standard.

Why aluminium?

- ✓ Naturally corrosion-resistant. Aluminium oxide generates a rust-resistant shield, suitable for a saline environment.
- ✓ Aluminium is a perfect material for the fabrication of gates - strong, stable and lighter than traditional materials.
- ✓ Naturally low maintenance - simply wash down with soapy water and rinse. Available in a variety of sizes and colours for a beautifully aesthetic finish.
- ✓ Eco-friendly - aluminium gates can be purchased from recycled material for a lesser environmental impact, and can be recycled again.

Standard sizes:

Pedestrian gates:

Height	1600mm	1800mm	2000mm	2200mm
Width	900mm	1000mm	1100mm	1200mm

Double gates:

Height	1600mm	1800mm	2000mm	2200mm			
Width	3000mm	3250mm	3500mm	3750mm	4000mm	4250mm (RMG 008 & 009 Only)	4500mm (RMG 008 & 009 Only)

BEFORE



AFTER



RMG001DG



The RMG001DG is a full privacy driveway gate with a vertical solid infill and flat top, providing a modern and streamlined design.

Full privacy is a great option to ensure the maximum protection of your property.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG001DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG001DG



A (mm)	B (mm)	C (mm)
3000	1600	50
3000	1800	50
3000	2000	50
3000	2200	50
3250	1600	63
3250	1800	63
3250	2000	63
3250	2200	63
3500	1600	75
3500	1800	75
3500	2000	75
3500	2200	75
3750	1600	38
3750	1800	38
3750	2000	38
3750	2200	38
4000	1600	50
4000	1800	50
4000	2000	50
4000	2200	50



RMG001PG

The RMG001PG is a fully boarded pedestrian gate with a vertical solid infill and flat top, providing full privacy with a modern and streamlined design.

- ✓

Various sizes available.

✓

Custom colours available.

✓

Powder coated finish.

✓

Modern and stylish.

✓

Robust and lightweight.
- ✓

Very low maintenance.

✓

Wall or floor mounted optional fixings.

✓


Easy installation.

✓

Weather resistant.

✓

Five year manufacturer's guarantee.



A (mm)	B (mm)
900	1600
900	1800
900	2000
900	2200
1000	1600
1000	1800
1000	2000
1000	2200
1100	1600
1100	1800
1100	2000
1100	2200
1200	1600
1200	1800
1200	2000
1200	2200

Colours available:



Black
(RAL 9005)



Grey
(RAL 7016)



Bespoke colours
available on request.

RMG002DG



The RMG002DG is a full privacy driveway gate with a horizontal solid infill and flat top, providing a modern and streamlined design.

Full privacy is a great option to ensure the maximum protection of your property.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG002DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG002DG



A (mm)	B (mm)	C (mm)
3000	1600	67
3000	1800	22
3000	2000	122
3250	1600	67
3250	1800	22
3250	2000	122
3500	1600	67
3500	1800	22
3500	2000	122
3750	1600	67
3750	1800	22
3750	2000	122
3750	2200	78
4000	1600	67
4000	1800	22
4000	2000	122
4000	2200	78



RMG002PG

The RMG002PG is a fully boarded pedestrian gate with a horizontal solid infill and flat top, providing full privacy with a modern and streamlined design.

- ✓

Various sizes available.

✓

Custom colours available.

✓

Powder coated finish.

✓

Modern and stylish.

✓

Robust and lightweight.
- ✓

Very low maintenance.

✓

Wall or floor mounted optional fixings.

✓


Easy installation.

✓

Weather resistant.

✓

Five year manufacturer's guarantee.



Colours available:



Black
(RAL 9005)



Grey
(RAL 7016)



Bespoke colours
available on request.

RMG003DG



The RMG003DG is a full privacy driveway gate with a diagonal solid infill and flat top, providing a modern and streamlined design.

Full privacy is a great option to ensure the maximum protection of your property.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG003DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG003DG



A (mm)	B (mm)
3000	1600
3000	1800
3000	2000
3000	2200
3250	1600
3250	1800
3250	2000
3250	2200
3500	1600
3500	1800
3500	2000
3500	2200
3750	1600
3750	1800
3750	2000
3750	2200
4000	1600
4000	1800
4000	2000
4000	2200



RMG003PG

The RMG003PG is a fully boarded pedestrian gate with a diagonal solid infill and flat top, providing full privacy with a modern and streamlined design.

- ✓

Various sizes available.

✓

Custom colours available.

✓

Powder coated finish.

✓

Modern and stylish.

✓

Robust and lightweight.
- ✓

Very low maintenance.

✓

Wall or floor mounted optional fixings.

✓


Easy installation.

✓

Weather resistant.

✓

Five year manufacturer's guarantee.



Colours available:



Black
(RAL 9005)



Grey
(RAL 7016)



Bespoke colours
available on request.

RMG004DG



The RMG004DG is a full privacy driveway gate with a vertical solid infill and bell-curved top, providing a modern and streamlined design.

Full privacy is a great option to ensure the maximum protection of your property.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG004DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG004DG



A (mm)	B (mm)	C (mm)	D (mm)
3000	1600	50	500
3000	1800	50	500
3000	2000	50	700
3000	2200	50	700
3250	1600	63	500
3250	1800	63	500
3250	2000	63	700
3250	2200	63	700
3500	1600	75	500
3500	1800	75	500
3500	2000	75	700
3500	2200	75	700
3750	1600	38	500
3750	1800	38	500
3750	2000	38	700
3750	2200	38	700
4000	1600	50	500
4000	1800	50	500
4000	2000	50	700
4000	2200	50	700

RMG005DG



The RMG005DG is a partial privacy driveway gate with a vertical solid infill and bell-curved top providing a traditional, unique style with a contemporary twist while allowing more visibility on the top section of the gate.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG005DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG005DG



A (mm)	B (mm)	C (mm)	D (mm)
3000	1600	50	280
3000	1800	50	280
3000	2000	50	350
3000	2200	50	350
3250	1600	63	280
3250	1800	63	280
3250	2000	63	350
3250	2200	63	350
3500	1600	75	280
3500	1800	75	280
3500	2000	75	350
3500	2200	75	350
3750	1600	88	280
3750	1800	88	280
3750	2000	88	350
3750	2200	88	350
4000	1600	50	280
4000	2000	50	350
4000	2200	50	350

RMG006DG



The RMG006DG is a partial privacy driveway gate with diagonal solid infill and bell-curved top, providing a traditional, unique style with a contemporary twist while allowing more visibility on the top section of the gate.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG006DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG006DG



A (mm)	B (mm)	C (mm)
3000	1600	280
3000	1800	280
3000	2000	350
3000	2200	350
3250	1600	280
3250	1800	280
3250	2000	350
3250	2200	350
3500	1600	280
3500	1800	280
3500	2000	350
3500	2200	350
3750	1600	280
3750	1800	280
3750	2000	350
3750	2200	350
4000	1600	280
4000	2000	350
4000	2200	350

RMG007DG



The RMG007DG is a partial privacy driveway gate with a vertical solid infill and bell-curved top, providing a traditional, unique style with a contemporary twist while allowing more visibility to the middle section of the gate.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG007DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Wall or floor mounted optional fixings.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colours available:



Black
(RAL 9005)




Grey
(RAL 7016)



Bespoke colours
available on request.

RMG007DG



A (mm)	B (mm)	C (mm)	D (mm)
3000	1600	50	500
3000	1800	50	500
3000	2000	50	700
3000	2200	50	700
3250	1600	63	500
3250	1800	63	500
3250	2000	63	700
3250	2200	63	700
3500	1600	75	500
3500	1800	75	500
3500	2000	75	700
3500	2200	75	700
3750	1600	38	500
3750	1800	38	500
3750	2000	38	700
3750	2200	38	700
4000	1600	50	500
4000	1800	50	500
4000	2000	50	700
4000	2200	50	700

RMG008DG



The RMG008DG is a partial privacy driveway gate with a vertical solid infill, bell-curved top and a thicker frame for a more robust, executive style, allowing visibility to the middle section of the gate.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG008DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.

- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Custom hinges available.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colour available:




Black
(RAL 9005)



Bespoke colours
available on request.

RMG008DG



A (mm)	B (mm)	C (mm)	D (mm)
3500	1800	75	500
3500	2000	75	700
3750	1800	38	500
3750	2000	38	700
4000	1800	50	500
4250	1800	63	500
4250	2000	63	700
4500	1800	75	500
4500	2000	75	700

RMG009DG



The RMG009DG is a partial privacy driveway gate with a vertical solid infill, bell-curved top and a thicker frame for a more robust, executive style, allowing visibility to the middle section of the gate.

Although aluminium is very strong, it is also lightweight which makes it a versatile material. This is perfect for the fabrication of gates compared to traditional metals such as; wrought iron, cast iron, wood or stainless steel.

Another advantage of the RMG009DG is that it is very low maintenance. Aluminium is highly resistant to corrosion unlike other metals, it will not suffer from changing weather conditions and actually becomes stronger in low temperatures, perfect for UK buyers!

In order to keep the gate looking brand new, simply wash down with soapy water and rinse. There is no special treatment required and the gates also have a 5 year manufacturer's guarantee.


- ✓ Various sizes available.
- ✓ Custom colours available.
- ✓ Powder coated finish.
- ✓ Modern and stylish.
- ✓ Robust and lightweight.
- ✓ Very low maintenance.
- ✓ Custom hinges available.
- ✓ Driveway gates can be manual or electrically automated.
- ✓ Easy installation.
- ✓ Weather resistant.
- ✓ Five year manufacturer's guarantee.

Colour available:



Wood
(Light Oak)


RMG009DG



A (mm)	B (mm)	C (mm)	D (mm)
3500	1800	75	500
3500	2000	75	700
3750	1800	38	500
3750	2000	38	700
4000	1800	50	500
4250	1800	63	500
4250	2000	63	700
4500	1800	75	500
4500	2000	75	700

CUSTOM HINGES

For RMG008DG and RMG009DG



For our gate designs RMG008DG and RMG009DG custom hinges are required. These are available as pairs for both top and bottom and fit to the profile of the gates.

Adjustment of 0mm to 100mm is achievable on either side of the gate because of the off-centre rear mounting plate and eyebolt supplied with each hinge.

Standard colour of the hinges is black but if you are having the gates a custom colour they can be coated to match your colour scheme.

These hinges are supplied loose and require fitting during installation, we recommend a qualified and accredited gate installer to fit.

Colour available:



Black
(RAL 9005)



Bespoke colours
available on request.



NOT JUST READYMADE...



At Readymade Gates Ltd we pride ourselves on our large stock of standard sized gates available for quick delivery but what if our standard sizes and colours don't fit your requirements

Width reduction

For a small additional charge we can reduce the width of our standard double and pedestrian gates to suit your opening, offering a bespoke service but with our usual quick delivery.

Custom colours

Our in-house spray booth gives our customers the option of styling their gates to match to their property. Just advise the RAL number and we'll coat the gates to your requirements.

Preparing gates for automation

When automating our double gates some people prefer a flat surface to mount their underground systems to. We can remove the feet from our double gates before delivery to make life easier when installing.



Fully bespoke gates

If our standard gates are not an option for your customer and they are prepared to wait a little longer for exactly what they want, they too can benefit from our fantastic prices. Our factory-made gates can be supplied to your design specification, custom widths, heights, colours and designs not in our standard range can be supplied.

Price and delivery on application.

Please send your requirements to sales@readymadegates.co.uk and our team will be happy to quote for your custom gates.

PEDESTRIAN GATE POSTS



Our new 80mm x 50mm aluminium pedestrian gate posts have been designed with the installer in mind.

These come with easy to fix hinge points built in and are available in either 2000mm or 2400mm lengths.

The removable base plate allows for a firm fixing to a solid base and the built-in access points allow for multiple wall fixings to make the installation more secure.

The receiver post has the same fixing options and comes with a full-length lock keep which inserts in to the post for extra privacy.


Colours available:



Black
(RAL 9005)



Grey
(RAL 7016)



FULL LENGTH LOCK-KEEP



Readymade Gates will now be supplying our pedestrian gates with a lock keep matching the height of the gate.

This adds more privacy and provides an extra finishing touch to our pedestrian gates. This will be included in our 001PG, 002PG and 003PG as standard.

ACCESSORIES



RMGP Gate Posts RMGC Gate Caps

- ✓ Five year manufacturers guarantee.
- ✓ Powder coated finish.
- ✓ Standard colours available: Black and Grey.
- ✓ Bespoke colours available on request.

The aluminium flanged gate posts allow the gates to become more versatile and fit into any space. They are designed to match the gates and can be used as stand alone posts to support the gates if there is no walling to be attached to, or to fill a gap between a wall and the gate.

Made from robust, lightweight, 3.5mm wall aluminium (5mm wall for heavy duty), these posts are strong, stable and lighter than traditional materials, they are available in four generic sizes.

The aluminium post caps are the finishing touch for each post and have been designed to match the gates and the posts.



RMGA03 / RMGA07 Adjustable Hinge

- ✓ Large Hinge (RMGA03): 105mm x 50mm.
- ✓ Small Hinge (RMGA07): 83mm x 40mm.
- ✓ Metal components with black plastic casing.

The heavy duty adjustable hinge is used for support at the top and bottom of your full or partial privacy gate. It allows up to 35mm adjustment and comes with black plastic casing.



RMGA04 Floor-Mounted Hinge

- ✓ Metal floor mounted hinge.
- ✓ Dimensions: 111mm x 50mm x 30mm high.

The floor mounted hinge is used when the aluminium posts are needed. The floor mounted hinge provides the gate with extra support.

ACCESSORIES



RMGA02

Rear Hanging Adjustable Hinge

- ✓ Dimensions: 120mm(L) x 70mm(W) x 50mm(H).
- ✓ Metal components with black plastic casing.

To be used when fitting our double gates behind an existing brick pier or our aluminium posts, this hinge allows for lateral adjustment making installation easier.



RMGA10

Lock Keep

- ✓ Dimensions: 238mm x 50mm.
- ✓ Black metal casing.

The black lock keep allows for the smooth opening and closing of your gate when used with the lock and handle set above. The sturdy structure gives you perfect security and peace of mind.



RMGA05 / RMGA09

Gate Handle Set with Keys and Lock

- ✓ Handle: 214mm x 28mm.
- ✓ Lock Keep: 238mm x 50mm.
- ✓ Black metal casing.
- ✓ Five lever lock system

The black handle set consists of two smart, modern handles supplied with keys, fittings and lock. A secure locking handle for your gate.



RMGA06

Gate Stop

The black metal centre gate stop should be used to support the gates when in a closed position to ensure that you have a secure closed gate.

OPTIONAL EXTRAS



RMGL01/02

Lockable Drop Bolt

- ✓ Throw: 140 mm.
- ✓ Lockable drop bolt with cylinder.
- ✓ Same drilling pattern as VSF and VSA.
- ✓ Possibility to work with same key as gatelock.
- ✓ Height adjustability of the drop bolt: 100 mm.
- ✓ Height adjustability in 3 positions: 50 mm / position.
- ✓ The gate can be locked in open or closed position.
- ✓ For gate profiles 30x30 mm or more.

Available in the following RAL colours:



RAL 7016



RAL 9005



RMGL03/04

Surface Mounted Dropbolt with Aluminium Bolt

- ✓ Aluminium pin.
- ✓ Aluminium head block and housing.
- ✓ For profiles as of 40mm or more.
- ✓ Height adjustability of the drop bolt: 100mm.
- ✓ Throw: 140mm.
- ✓ Locks itself between the wings of the gate.
- ✓ Fast and easy fixing with Quick-Fix.
- ✓ Easy to retrofit.

Available in the following RAL colours:



RAL 7016



RAL 9005

OPTIONAL EXTRAS



Available in the following colour:



ZILV

RMGL05

Aluminium Gate Hold-Back Catch

- ✓ Aluminium powder coated chassis.
- ✓ Anchoring holes for fast, strong fixing in concrete.
- ✓ Height adjustability of the catch hook: 40mm.
- ✓ Stop rubber and polyamide catch hook avoid damaging the gate.
- ✓ Stop rubber adjustable for profiles 40mm to 60mm.
- ✓ Reversibility of the catch hook: pre-mounted with hook up to catch the underside of the gate.



Available in the following colour:



RAL 9005

RMGL06

Bolt-On Off-Centered Ground Stop

- ✓ Strong surface mounted ground stop for double wing gates. Black anodized aluminium top plate.
- ✓ Suitable for surface mounted drop bolts.
- ✓ Maximum drop bolt axle diameter: 20mm.
- ✓ Adjustable in height: distance between finished ground level and bottom of the gate: 20 - 45mm.
- ✓ Adjustable in depth, different gate profiles possible: VSA - VSF - Keydrop: 40 - 60mm; Electradrop: 40 - 50mm.
- ✓ Anchor pins included.



KEYPAD

BL4409 Keypad Lock - Pedestrian Gates Only

- ✓ Marine grade, free turning lever keypad.
- ✓ Updated inside rim-fixed slam latch.
- ✓ New style knob turn device with holdback function.
- ✓ Please specify the gate orientation when ordering.

As an alternative to our standard locking handles for our pedestrian gates, we are able to supply and fit the Borg BL4409 keypad lock, high-quality robust option to high traffic areas, removing the need for keyed access.

TERMS & CONDITIONS

Application and entire agreement

1. These Terms and Conditions will apply to the purchase of the goods detailed in our quotation (**Goods**) by the buyer (**you** or **Customer**) from Readymade Gates Ltd, a company registered in England and Wales under number 10777737, whose registration office is at Unit 1, Shenstone Storage Estate, Shenstone, Staffs WS14 0EA (**we** or **us** or **Supplier**).
2. These Terms and Conditions will be deemed to have been accepted by you when you accept them or the quotation or from the date of any delivery of the Goods (whichever happens earlier) and will constitute the entire agreement between us and you.
3. These Terms and Conditions and the quotation (together, the **Contract**) apply to the purchase and sale of any Goods between us and you, to the exclusion of any other terms that you try to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.

Interpretation

4. A "business day" means any day other than a Saturday, Sunday or bank holiday in England and Wales.
5. The headings in these Terms and Conditions are for convenience only and will not affect their interpretation.
6. Words imparting the singular number include the plural and vice-versa.

Goods

7. The description of the Goods is set out in our sales documentation, unless expressly changed in our quotation. In accepting the quotation, you acknowledge that you have not relied upon any statement, promise or other representations about the Goods by us. Descriptions of the Goods set out in our sales documentation are intended as a guide only.
8. We can make any changes to the specification of the Goods which are required to conform to any applicable safety or other statutory or regulatory requirements.

Price

9. The price (**Price**) of the Goods is set out in our quotation current at the date of your order or such other price as we may agree in writing.
10. If the cost of the Goods to us increases due to any factor beyond our control including, but not limited to, material costs, labour costs, alteration of exchange rates or duties, or changes to delivery rates, we can increase the Price prior to delivery.
11. Any increase in the Price under the clause above will only take place after we have told you about it.
12. You may be entitled to discounts. Any and all discounts will be at our discretion.
13. The Price is exclusive of fees for packaging and transportation / delivery.
14. The Price is exclusive of any applicable VAT and other taxes or levies which are imposed or charged by any competent authority.

Cancellation and alteration

15. Details of the Goods as described in the clause above (Goods) and set out in our sales documentation are subject to alteration without notice and are not a contractual offer to sell the Goods which is capable of acceptance.

16. The quotation including any non-standard price negotiated in accordance with the clause on Price (above) is valid for a period of 30 days only from the date shown in it unless expressly withdrawn by us at an earlier time.
17. Either of us can cancel the order for any reason prior to your acceptance (or rejection) of the quotation.

Payment

18. We will invoice you for the Price either:
 - a. on or at any time after delivery of the Goods; or
 - b. where the Goods are to be collected by you or where you wrongfully do not take delivery of the Goods, at any time after we have notified you that the Goods are ready for collection or we have tried to deliver them.
19. You must pay the Price within 1 day of the date of our invoice or otherwise according to any credit terms agreed between us.
20. You must make payment even if delivery has not taken place and / or that the title in the Goods has not passed to you.
21. If you do not pay within the period set out above, we will suspend any further deliveries to you and without limiting any of our other rights or remedies for statutory interest, charge you interest at the rate of 10% per annum above the base rate of the Bank of England from time to time on the amount outstanding until you pay in full.
22. Time for payment will be of the essence of the Contract between us and you.
23. All payments must be made in British Pounds unless otherwise agreed in writing between us.
24. Both parties must pay all amounts due under these Terms and Conditions in full without any deduction or withholding except as required by law and neither party is entitled to assert any credit, set-off or counterclaim against the other in order to justify withholding payment of any such amount in whole or in part.

Delivery

25. We will arrange for the delivery of the Goods to the address specified in the quotation, or your order or to another location we agree in writing.
26. If you do not specify a delivery address or if we both agree, you must collect the Goods from our premises.
27. Subject to the specific terms of any special delivery service, delivery can take place at any time of the day and must be accepted at any time between 8am to 8pm.
28. If you do not take delivery of the Goods we may, at our discretion and without prejudice to any other rights:
 - a. store or arrange for the storage of the Goods and will charge you for all associated costs and expenses including, but not limited to, transportation, storage and insurance; and / or
 - b. make arrangements for the redelivery of the Goods and will charge you for the costs of such redelivery; and / or
 - c. after 10 business days, resell or otherwise dispose of part or all of the Goods and charge you for any shortfall below the price of the Goods.

29. If redelivery is not possible as set out above, you must collect the Goods from our premises and will be notified of this. We can charge you all associated costs including, but not limited to, storage and insurance.
30. Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. We will not be liable for any delay in delivery of the Goods that is caused by a circumstance beyond our control or your failure to provide us with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
31. We can deliver the Goods by installments, which will be invoiced and paid for separately. Each installment is a separate contract. Any delay in delivery of defect in an installment will not entitle you to cancel any other installment.

Inspection and acceptance of Goods

32. You must inspect the Goods on delivery or collection.
33. If you identify any damages or shortages, you must inform us in writing within 2 days of delivery, providing details.
34. Other than by agreement, we will only accept returned Goods if we are satisfied that those Goods are defective and if required, have carried out an inspection.
35. Subject to your compliance with this clause and / or our agreement, you may return the Goods and we will, as appropriate, repair, or replace, or refund the Goods or part of them.
36. We will be under no liability or further obligation in relation to the Goods if:
 - a. you fail to provide notice as set above; and / or
 - b. you make any further use of such Goods after giving notice under the clause above relating to damages and shortages; and / or
 - c. the defect arises because you did not follow our oral or written instructions about the storage, commissioning, installation, use and maintenance of the Goods; and / or
 - d. the defect arises from normal wear and tear of the Goods; and / or
 - e. the defect arises from misuse or alteration of the Goods, negligence, wilful damage or any other act by you, your employees or agents or any third parties.
37. You bear the risk and cost of returning the Goods.
38. Acceptance of the Goods will be deemed to be upon inspection of them by you and in any event within 3 days after delivery.

Risk and title

39. The risk in the Goods will pass to you on completion of delivery.
40. Title to the Goods will not pass to you until we have received payment in full (in cash or cleared funds) for: (a) the Goods and / or (b) any other goods or services that we have supplied to you in respect of which payment has become due.

TERMS & CONDITIONS

41. Until title to the Goods has passed to you, you must (a) hold the Goods on a fiduciary basis as our bailee; and / or (b) store the Goods separately and not remove, deface or obscure any identifying mark or packaging on or relating to the Goods; and / or (c) keep the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery.

42. As long as the Goods have not been resold, or irreversibly incorporated into another product, and without limiting any other right or remedy we may have, we can at any time ask you to deliver up the Goods and, if you fail to do so promptly, enter any of your premises or of any third party where the Goods are stored in order to recover them.

Termination

43. We can terminate the sale of Goods under the Contract where:

- you commit a material breach of your obligations under these Terms and Conditions;
- you are or become or, in our reasonable opinion, are about to become the subject of a bankruptcy order or take advantage of any other statutory provision for the relief or insolvent debtors;
- you enter into a voluntary arrangement under Part 1 of the Insolvency Act 1986, or any other scheme or arrangement is made with your creditors; or
- you convene any meeting of your creditors, enter into voluntary or compulsory liquidation, have a receiver, manager, administrator or administrative receiver appointed in respect of your assets or undertakings or any part thereof, any documents are filed with the court for the appointment of an administrator, notice of intention to appoint an administrator is given by you or any of your directors or by a qualifying floating charge holder (as defined in para. 14 of Schedule B1 of the Insolvency Act 1986), a resolution is passed or petition presented to any court for the winding of your affairs or for the granting of an administration order, or any proceedings are commenced relating to your insolvency or possible insolvency.

Limitation of liability

44. Our liability under the Contract, and in breach of statutory duty, and in tort, misrepresentation or otherwise will be limited to this section.
45. Subject to the clauses above on **Inspection and Acceptance and Risk and Title**, all warranties, conditions or other terms implied by statute or common law (save for those implied by Section 12 of the Sale of Goods Act 1979) are excluded to the fullest extent permitted by law.
46. If we do not deliver the Goods, our liability is limited, subject to the clause below, to the costs and expenses incurred by you in obtaining replacements goods of similar description and quality in the cheapest market available, less the price of the Goods.

47. Our total liability will not, in any circumstances, exceed the total amount of the Price payable by you.
48. We will not be liable (whether caused by our employees, agents or otherwise) in connection with the Goods, for:
- any indirect, special or consequential loss, damage, costs, or expenses; and / or
 - any loss of profits; loss of anticipated profits; loss of business; loss of data; loss of reputation or goodwill; business interruption; or, other third party claims; and / or
 - any failure to perform any of our obligations if such delay or failure is due to any cause beyond our reasonable control; and / or
 - any losses caused directly or indirectly by any failure or breach by you in relation to your obligations; and / or
 - any loss relating to the choice of the Goods and how they will meet your purpose or the use by you of the Goods supplied.
49. The exclusions of liability contained within this clause will not exclude or limit our liability for death or personal injury caused by our negligence; or for any matter for which it would be illegal for us to exclude or limit our liability; and for fraud or fraudulent misrepresentation.

Communications

50. All notices under these Terms and Conditions must be in writing and signed by, or on behalf of, the party giving notice (or a duly authorised officer of that party).
51. Notices will be deemed to have been duly given:
- when delivered, if delivered by courier or other messenger (including registered mail) during the normal business hours of the recipient;
 - when sent, if transmitted by fax or email and a successful transmission report or return receipt is generated;
 - on the fifth business day following mailing, if mailed by national ordinary mail; or
 - on the tenth business day following mailing, if mailed by airmail.
52. All notices under these Terms and Conditions must be addressed to the most recent address, email address or fax number notified to the other party.

Data protection

53. When providing the Goods to the Buyer, the Seller may gain access to and / or acquire the ability to transfer, store or process personal data of employees of the Buyer.
54. The parties agree that, where such processing of personal data takes place, the Buyer shall be 'data controller' and the Seller shall be the 'data processor' as defined in the General Data Protection Regulation (**GDPR**) as may be amended, extended and / or re-enacted from time to time.
55. For the avoidance of doubt, 'Personal Data', 'Processing', 'Data Controller', 'Data Processor' and 'Data Subject' shall have the same meaning as in the GDPR.

56. The Seller shall only Process Personal Data to the extent reasonably required to enable it to provide the Goods as mentioned in these Terms and Conditions or as requested by and agreed with the Buyer, shall not retain and Personal Data longer than necessary for the Processing and refrain from Processing any Personal Data for its own or for any third party's purposes.
57. The Seller shall not disclose Personal Data to any third parties other than employees, directors, agents, subcontractors or advisors on a strict "need-to-know" basis and only under the same (or more extensive) conditions as set out in these Terms and Conditions or to the extent required by applicable legislation and / or regulations.
58. The Seller shall implement and maintain technical and organisational security measures as are required to protect Personal Data Processed by the Seller on behalf of the Buyer. Further information about the Seller's approach to data protection are specified in its Data Protection Policy, which can be found on our website. For any enquiries or complaints regarding data privacy, you can email: accounts@readymadegates.co.uk

Circumstances beyond the control of either party

59. Neither party shall be liable for any failure or delay in performing their obligations where such failure or delay results from any cause that is beyond the reasonable control of the party. Such causes include, but are not limited to: industrial action, civil unrest, fire, flood, storms, earthquakes, acts of terrorism, acts of war, governmental action or any other event that is beyond the control of the party in question.

Waiver

60. No waiver by us of any breach of these Terms and Conditions by you shall be considered as a waiver of any subsequent breach of the same or any other provision.

Severance

61. If one or more of these Terms and Conditions is found to be unlawful, invalid or otherwise unenforceable, that / those provisions shall be deemed severed from the remainder of these Terms and Conditions (which will remain valid and enforceable).


Law and jurisdiction

62. This Agreement shall be governed by and interpreted according to the law of England and Wales and all disputes arising under the Agreement (including non-contractual disputes or claims) shall be subject to the exclusive jurisdiction of the English and Welsh courts.



READYMADE GATES

LTD



Unit 1, Shenstone Storage Estate, Shenstone WS14 0EA
01543 480023 • sales@readymadegates.co.uk • www.readymadegates.co.uk
VAT No: 290 2585 93 • Company No: 10777737