


A photograph of a modern, dark-colored gate and fence system at dusk. The gate is partially open, revealing a driveway leading to a modern house with large windows. The gate and fence have horizontal light strips. The house has a wooden exterior and a small window with a light inside. The sky is a deep blue, and there are trees in the background.

horiz **AL**

GATE & FENCING
COLLECTION

horizAL

INSTALLER NETWORK

“One Gate for Life”

THE NO.1 NATIONAL NETWORK OF GATE INSTALLERS IN THE UK

HorizAL is a world-renowned European manufacturer, specialising in Aluminium Gates of outstanding quality, entrusts the sale and installation of their products through the only Professional Aluminium Gate Network in the UK, known as “The Horizal Installer Network”.

Specialists in Aluminium Gates, approved and regulated within the UK Gate Industry, “The Horizal Installer Network” have the training and experience that guarantee the high-level of Professionalism that any buyer of aluminium gates is entitled to....“It’s their profession!”



Why Buy HorizAL Aluminium Gates?

- ✓ A vast range of innovative designs, with many personalised solutions.
- ✓ Individually made, with heavy-duty framework, all products are factory-tested and CE marked.
- ✓ Reinforced for fixing automation equipment, for robust operations in all weather conditions.
- ✓ Designed to be dismantled to replace any sections accidentally damaged, rather than replacing with a new gate.
- ✓ All products are manufactured from “Qualmarine” grade aluminium, the highest European standard.
- ✓ All products are finished and protected with the “qualicoat” process, the highest European standard for the coating of aluminium in external conditions.
- ✓ Guaranteed against UV discolouration.
- ✓ Confidence in a World-class product, now sold in over 30 countries.

Gate Installers Commit -

- ✓ To expertly guide you in your choice of design.
- ✓ To advise you on the best possible technical solutions to suit your personal needs.
- ✓ To preparing a clear and detailed quotation.
- ✓ To complete your installation to the highest possible standard, leaving everything clean and tidy.
- ✓ To comply with current safety regulations (if automated).
- ✓ To efficiently provide a professional after-sales service, regarding your gates and the maintenance required.

To follow the whole sales, manufacturing processes and to give you a real insight into the quality brand of aluminium gates that will enhance your property, please either scan the QR code below to watch the video or visit our website and click on the **'ABOUT US'** tab and you will find the video in the **“Who are we?”** section.

“One gate for life – quality isn’t expensive, it’s priceless”



COLOURS

The Aluminium Profiles Thermo-lacquering coated to the Qualmarine and Qualicoat Class-2 High Durability standards.

21 COLOURS NO EXTRA COST


10 STANDARD COLOURS

Finish: fine textured except bronze (metallic)

				
White (RAL 9010)	Beige (RAL 1015)	Green (RAL 6005)	Purple Red (RAL 3004)	Gentian Blue (RAL 5010)
				
Bronze (Indian Brown)	Basalt Grey (RAL 7012)	Anthracite Grey (RAL 7016)	Umbra Grey (RAL 7022)	Black (RAL 9005)

COLOUR SHADES «EXPRESSION»

Selection of shades with a textured finish.

			
Light Grey (RAL 7035)	Window Grey (RAL 7040)	Dusty Grey (RAL 7037)	Quartz Grey (RAL 7039)
			
Grey Brown (RAL 8019)	Sapphire Blue (RAL 5003)	Pastel Blue (RAL 5024)	Pastel Green (RAL 6019)


COLOUR SHADES «FUTURA» RANGE

Selection of 3 colours in textured finish 'Sand Blasted'

		
Mars 2525 (YX355F)	Grey 2900 (YW355F)	Black 2100 (YW359F)

OPTIONAL - COLOUR SHADES «FUTURA» RANGE

Textured finish 'Sand Blasted'

				
Grey 2150 (YW365F)	Starlight 2525 (YX353F)	Grey 2800 (YW356F)	Tijuka (Y2306I)	Black 2200 (YW360F)
				
Yazd 2525 (YW370F)	Green 2300 (YW362F)	Green 2500 (YW354F)	Red 2100 (YW371F)	Blue 2700 (YW353F)

OPTIONAL - WOOD GRAIN (with textured finish):

			
Golden Oak Texture	Irish Oak Texture	Dark Oak Texture	Walnut Texture



OPTIONAL OTHER RAL SHADES

The entire RAL colour chart is available as an option. Class 1 or 2 and finish (fine textured, matt, glossy), to be confirmed when ordering.

QUALITY LABELS AND WARRANTY



Classe 2



QUALICOAT CLASS 2 HIGH DURABILITY CERTIFIED LACQUERING

Class 2 high durability powders, used during the process of powder coating aluminium profiles, provide reinforced resistance to UV and to weather. HORIZAL guarantees on all its profiles a QUALICOAT certified powder application process, the most stringent European label.

The powder paint is solvent-free and this technology nowadays stands out as the best eco-responsible choice.

For decorative lacquering and especially wood tones, all lacquering on all our products have the QUALIDECO certification, the most stringent quality label in this field.



QUALIMARINE LABEL ON ALL OUR PROFILES

Powder coating of our profiles also meets the QUALMARINE certification reference so as to provide the most qualitative response possible to the level of lacquering our profiles. Designed to guarantee the highest quality of powder coating of architectural aluminium in all atmospheric conditions, the QualiMarine reference involves in particular, a pre-treatment of the profiles as well as the use of an optimised aluminium alloy.

MORE RESISTANT, FINE TEXTURED OR SAND-BLASTED FINISH

Our same price colour chart, with 21 colours in total, brings together traditional, trendy and innovative colour shades, that will allow you to customise your gate while keeping costs under control.

All the tints are available in Fine textured or sand-blasted finishes depending on the colour, and this reinforces the resistance of the lacquer over time.

GUARANTEE 3 X 10 YEARS

HORIZONTAL provides you with a 3 times 10 year guarantee, extended over the following 3 application areas:

10 year guarantee on the resistance of the lacquering, 10 year guarantee on the resistance of the manufacture, 10 years of guarantee on the resistance of the accessories designed by the brand and manufactured in our aluminium foundry molds: hinges, floor pivots, central stops, opening stops, guiding parts for example. Our parts are guaranteed for 10 years against any manufacturing defect and premature breakage.

Remember to look after your aluminium gate regularly. Periodic washing with a sponge and lukewarm soapy water is recommended, followed by rinsing with clean water and wiping with an absorbent cloth (chamois leather type). The frequency of cleaning varies from 1 to 4 times a year depending on the environment.

It should be noted that some extreme conditions are reasons for exclusion or a reduction in the lacquering guarantee, such as an installation near the sea.

10
YEARS

LACQUERING

10
YEARS

MANUFACTURE

10
YEARS

ACCESSORIES

SUMMARY

GATES, FENCES AND FENCING PANELS IN ALUMINIUM

COLOURS / 4

QUALITY LABELS AND WARRANTY / 5

Choose from several Collections, each with their own personality, and let your desires guide you.

CONTEMPORARY / 8-31

HORIZONTAL BARS / 8-11



VERTICAL BARS / 12-13



SEMI-OPEN, FLAT TOP / 14-15



SEMI-OPEN, CURVED TOP / 16-17



LOUVRED INFILL / 18-19



LOUVRED INFILL (ROUNDED)..... / 20-21



FULL-BOARDED, FLAT TOP / 22-25



FULL-BOARDED, CURVED TOP / 26-27



FENCES & FENCE PANELS / 30-31



GATES, FENCES AND FENCING PANELS IN ALUMINIUM

LED LIGHTING / 32-37

ELYSIUM LED / 32-33



LAZERGLASS / 34-35



NIGHT & DAY LED / 36-37



REVELATION / 38-43



LAZER / 44-53



ANODISED / 54-61



DECORS / 62-67



CONFIDENCE / 68



TRADITIONAL / 69-73

FULLY OPEN / 70



SEMI-OPEN / 70



WITH PRIVACY PANELS / 72



CONTEMPORARY

Collection

GATES WITH HORIZONTAL BARS

Several choices of bars arranged horizontally



COME swing gates



AVEA sliding gate




COME sliding gate


GATES WITH HORIZONTAL BARS

The models AVEA, BORNEO and COME each use a specific bar: 150,100 or 45 x 22 mm. The reduced space between the bars offers a good level of concealment while reducing wind resistance compared to a plain gate.

AVEA Model - WITH 100 X 22 mm BARS




Pedestrian gate + swing gates




Sliding gate

BORNEO Model - WITH 150 X 22 mm BARS





Pedestrian gate + swing gates




Sliding gate

COME Model - WITH 45 X 22 mm BARS



Pedestrian gate + swing gates



Sliding gate



BORNEO sliding gate



AVEA swing gates

CONTEMPORARY

Collection

GATES WITH HORIZONTAL BARS OF DIFFERENT WIDTHS

Several choices of bars arranged horizontally



COOK swing gates



CHYPRE sliding gate





CANCUN swing gates


GATES WITH HORIZONTAL BARS

The 4 models CUNCUN, CHYPRE, COOK and CAIMAN use 150 and 45 mm wide bars arranged differently according to the models. The reduced space between the bars offers a good level of concealment while reducing wind resistance compared to a plain gate.

CUNCUN Model - WITH 150 and 45 X 22 mm BARS





Pedestrian gate + swing gates




Sliding gate

CHYPRE Model - WITH 150 and 45 X 22 mm BARS





Pedestrian gate + swing gates




Sliding gate

COOK Model - WITH 150 and 45 X 22 mm BARS





Pedestrian gate + swing gates




Sliding gate

CAIMAN Model - WITH 150 and 45 X 22 mm BARS



Pedestrian gate + swing gates



Sliding gate



CAIMAN swing gates



CUNCUN swing gates

CONTEMPORARY

Collection

GATES WITH VERTICAL BARS


Several choices of bars arranged vertically




GATES WITH VERTICAL BARS

The models MOHER and MARSHALL use several types of bars, arranged vertically. The reduced space between the bars offers a good level of concealment while reducing wind resistance compared to a plain gate.

MOHER Model - WITH 150 and 45 X 22 mm BARS




Pedestrian gate + swing gates




Sliding gate

MARSHALL Model - WITH 150, 100 and 45 X 22 mm BARS



Pedestrian gate + swing gates



Sliding gate

OTHER GATE AND FENCE MODELS WITH OPEN VERTICAL BARS

This family of gates is characterized by a wide choice of bars, shapes and curves, which offers a wide variety of models and variants.



AUKENA swing gates




ABOA swing gates




AUKENA fence bi-ton




AUKENA fencing



25 x 22 mm



45 x 22 mm




100 x 22 mm
(standard)



Design
80 x 22 mm

Infills 100 x 22 mm as standard. Other infills on request, pricing varies according to the type of infills.



AUKENA



ALDEA



BALI



CARAIBES



ABOA



BRAVA



COMORES



AUKENA Pedestrian gate, swing gates and fence.

All the models of the Contemporary range are available with matching gates and fences

CONTEMPORARY


Collection

SEMI-OPEN GATES, FLAT TOP



CAVALLO Model

BASEMENT WITH **150 et 45 X 22 mm** BARS
AND **100 X 22 mm** BARS AT THE TOP



Pedestrian gate + swing gates



Sliding gate


SEMI-OPEN GATES, FLAT TOP

GARITA Model




Pedestrian gate + swing gates

GUSTAVIA Model




Pedestrian gate + swing gates

DESIRADE Model




Pedestrian gate + swing gates

KERALA Model



Pedestrian gate + swing gates

SERAM Model



Pedestrian gate + swing gates

Semi-open gates with 100 x 22 mm bars arranged vertically or horizontally. Other bars on request, pricing varies according to the type of infills. Full-boarded basement with aluminium sheet, vertical or horizontal boards, depending on the model. Available in swing and sliding versions.



GUSTAVIA sliding gate with 45 mm horizontal bars



SERAM sliding gate




SERAM with custom crossrail height



GUSTAVIA sliding gate with 45 mm horizontal bars

SEMI-OPEN GATES, CURVED TOP



CURVED TOP WITH STRAIGHT CENTRAL CROSSRAIL

Models available in swing and sliding versions.
Models available with aluminium sheet base.



GOZO swing gates



HALVO swing gates



IKARIA swing gates



GANAK swing gates



HITRA swing gates



IBIZA swing gates

MATCHING CURVED TOP AND CENTRAL RAILS

Not available in sliding
gate versions



MILOS swing gates




MERIGI swing gates



NASAM swing gates



NORA swing gates




MALDIVES swing gates



MADERE swing gates



NUKO swing gates




NEVIS swing gates




SEMI-OPEN GATES, CURVED TOP

WITH HIGH INTERMEDIATE CROSSRAIL



Full boarded base only for all models below.

WITH HIGH STRAIGHT INTERMEDIATE CROSSRAIL




Available in sliding version

WITH HIGH CURVED INTERMEDIATE CROSSRAIL



Not available in sliding gate version

WITH MATCHING CURVED TOP AND HIGH INTERMEDIATE CROSSRAIL



Not available in sliding gate version



TOBAGO swing gates

CONTEMPORARY

Collection

GATES WITH LOUVRED INFILL BOARDS

Arranged horizontally or vertically



ALDABRA 2 - Swing gates



ALDABRA 2 - Sliding gate



ANJOUAN 2 - Swing gates


GATE WITH LOUVRED INFILL




SECTIONAL VIEW OF THE LOUVRED INFILL BOARDS

The models ALDABRA and ANJOUAN 1 to 3 use louvred infill boards arranged horizontally (ALDABRA model) or vertically (ANJOUAN model).

ALDABRA 1 Model - WITH 90 mm HORIZONTAL LOUVRED INFILL (front view part)



Pedestrian gate + swing gates



Sliding gate until 3,50 m
(additional vertical upright for width larger than 3,50 m)

ALDABRA 2 Model - WITH 90 mm and 38 mm HORIZONTAL LOUVRED INFILL (front view parts)




ALDABRA 3 Model - WITH 38 mm HORIZONTAL LOUVRED INFILL (front view part)



ANJOUAN 1 Model - WITH 90 mm VERTICAL LOUVRED INFILL (front view part)



Pedestrian gate + swing gates



Sliding gate until 5,50 m

ANJOUAN 2 Model - WITH 90 and 38 mm VERTICAL LOUVRED INFILL (front view parts)



ANJOUAN 3 Model - WITH 38 mm VERTICAL LOUVRED INFILL (front view part)



CONTEMPORARY

Collection


GATES WITH ROUNDED LOUVRED INFILL BOARDS

Arranged horizontally or vertically




AMBROSIA sliding gate

AMBROSIA Model - WITH 120 X 22 mm ROUNDED LOUVRED INFILL BOARDS, ARRANGED HORIZONTALLY




Pedestrian gate + swing gates until 3,50 m



Sliding gate until 3,50 m




Pedestrian gate + swing gates until 5,50 m




Sliding gate until 5,50 m

ANDAMAN Model - WITH 120 X 22 mm ROUNDED LOUVRED INFILL BOARDS, ARRANGED VERTICALLY



Pedestrian gate + swing gates
Central crossrail is compulsory



Sliding gate
Central crossrail is compulsory


GATES WITH ROUNDED LOUVRED INFILL BOARDS




SECTIONAL VIEW

ROUNDED LOUVRED INFILL BOARDS AT THE TOP SECTION

The rounded louvred infill boards can be installed at the top section of semi-open gates. Straight top only with horizontal louvred bars (GARITA and DESIRADE models). Curved top available with vertical louvred infill boards.



*Example : GARITA swing gates
With horizontal louvred bars*



*Example : GARITA swing gates > 3,50 m
With horizontal louvred bars
and intermediate uprights*



*Example : HALVO swing gates
With vertical louvred bars*



GARITA swing gates with louvred boards at the top section



GARITA swing gates with louvred boards at the top section



AMBROSIA fence panels

CONTEMPORARY

Collection

PLAIN GATES, FLAT TOP


With «cladding effect» board, arranged horizontally




PLAIN GATES, FLAT TOP

The 3 models ELLIS, ELBE 1 and ELBE 2 use, depending on the model, one or several 250 x 25 mm «cladding effect» boards.

ELLIS Model - WITH FULL HEIGHT «CLADDING EFFECT» BOARDS (except top and bottom ends)




Pedestrian gate + swing gates




Sliding gate

ELBE 1 Model - WITH «CLADDING EFFECT» BOARD IN THE UPPER PART




Pedestrian gate + swing gates




Sliding gate

ELBE 2 Model - WITH «CLADDING EFFECT» BOARDS IN THE UPPER AND LOWER PART



Pedestrian gate + swing gates



Sliding gate



ELLIS swing gates

CONTEMPORARY

Collection

PLAIN GATES, FLAT TOP

The solid gates of the CONTEMPORARY range come in several types of infills: standard boards, wide boards, extra-wide boards, solid and perforated aluminium sheets. You can create coordinated sets of pedestrian gates, main gates and fences, which will ensure your privacy.


MONARCH Model

WITH EXTRA-LARGE BOARDS **330 x 25 mm**

Solid gates with extra wide boards are characterised by their modern styling and the purity of their lines. These models are available in horizontal and straight boards only.



MONARCH
Portillon et portail battant




MONARCH
Couissant

MAHE Model

WITH WIDE BOARDS **250 X 25 mm**

Flat top, with vertical or horizontal boards.




MAHE Pedestrian gate, sliding gate and fence
Also available in swing gates version

JABAL Model

WITH STANDARD BOARDS **125 X 25 mm**

Flat top, with vertical boards.




JABAL Pedestrian gate, swing gates and fence


MYKONOS Model

WITH **2 mm** ALUMINIUM SHEET

This model is characterised by the use of lacquered aluminium, solid or perforated sheets (R10T15)



MYKONOS
Pedestrian gate and swing gates




Option to mix full
and perforated sheets

JOBRA Model

WITH STANDARD BOARDS **125 X 25 mm**

Flat top, with horizontal boards.



JOBRA - Pedestrian gate, swing gates and fence
Also available in sliding version



JABAL swing gates (Irish oak)



JOBRA swing gates (golden oak)



MYKONOS solid sheet swing gates



JABAL swing gates



JABAL sliding gate




MAHE sliding gate

CONTEMPORARY

Collection

PLAIN GATES, WITH SHAPED TOP

AVAILABLE SHAPED TOP



WITH STRAIGHT CENTRAL RAIL

Models available with vertical boards only.
Models available in swing and sliding versions.



JAMAÏQUE



KITNOS



LIMNOS



JEMO



KALAO



LAKINA

MATCHING CURVED TOP AND CENTRAL RAILS

125 x 25 mm vertical
boards only



QUESSANT



OZARI




PAROS



PIAZZI

Not available in sliding
gate versions



ORONA



ORCADE



POLDEM



PALAYA



PIAZZI swing gates



OZARI swing gates



LIMNOS swing gates (golden oak)



LIMNOS swing gates (irish oak)



LIMNOS sliding gate (golden oak)



LIMNOS swing gates (dark oak)



MAHE sliding gate



MYKONOS sliding gate with perforated sheets



JOBRA sliding gate



RODRIGUES swing gates



SOLOR swing gates



RÓDRIGUES swing gates (golden oak) with 45 mm bars at the top section



LIMNOS swing gates



LAKINA, with unequal leaves (option)



LIMNOS swing gates with diagonal boards

CONTEMPORARY

Collection

RAILINGS

All of our gates are available with matching railing or fence panel.


FRAME

The railings are fixed by means of a 52 mm aluminium tube anchor or resin fixed into the wall (dependent on the configuration). This 52 mm tube is placed inside the 55 x 104 railing post.


Aluminium tube $\varnothing$ 52 mm
to be anchor or resin fixed




Adjustable angle
post




90° post



Through post




Adjustable angle post



Vertical wall
fixing bar


ADJUSTABLE FIXINGS

If the wall is fitted with angled copings the aluminium post can be fixed with adjustable plates that can be configured to the angle of the copings for a more secure installation.



Adjustable angle

Maximum slope of the coping: 45%
Can also be used on flat copings.



Several adjustable base plates
for walls with slope

POST BOX INTEGRATED INTO RAILINGS

Aluminium post box, painted the same colour as the railings, standard NF D 27-405

Dimensions : Width : 315 mm / Height : 295 mm / Depth : 400 mm

Not available with sloped railings.



Front of post box



Rear of post box



Lock supplied with 2 keys




Integration into the railings:
The cuts are made towards the base of the panel

FENCE PANELS AND MAILBOX TOTEM

A wide range of fence panels, matched to the gate models, are available.

A choice of coordinated mailbox totems are also available.



JOBRA swing gates with mailbox totem and fence panel



AUKENA 100 fencing



AUKENA 100 fencing



TOSKA fencing and pedestrian gate (ANODISED range)



ALDABRA 2 - Full height fence panel and mailbox totem



CANCUN fencing

CONTEMPORARY

Collection

ELYSIUM: GATES WITH LED LIGHTING


3 LED colours available: warm white, cold white and blue




ELYSIUM 2 - Swing gates with warm white LED lighting

GATES WITH LED LIGHTING

The ELYSIUM model diffuses perfectly controlled lighting through the integration of LEDs into a board specially designed for this purpose (see diagram below).



Cut-out view of the board incorporating LEDs



- Wide board 250 x 25 mm
- Board 125 x 25 mm with integrated LED headband
- Wide board 250 x 25 mm

Zoom on the mix of boards


The LEDs are arranged in the upper inner part of the board, in a groove specially designed to accommodate them. The lighting is diffused on the curved part of the board.

The lighting/extinction of the LEDs is done by separate remote control or with the remote control of the automation on an electric gate.

In a sliding version, the gate is lit only when it is in a closed position (the electrical connection is done by the catcher post).

ELYSIUM 1 Model - WITH 1 LED HEADBAND IN THE UPPER PART OF THE GATE

With horizontal wide boards **250 x 25 mm** and **125 x 25 mm** led boards




Pedestrian gate + swing gates




Sliding gate

ELYSIUM 2 Model - WITH 2 LED HEADBANDS

With horizontal wide boards **250 x 25 mm** and **125 x 25 mm** LED boards



Pedestrian gate + swing gates



Sliding gate

3 LED COLOURS AVAILABLE



LED cold white



LED warm white



LED blue

LAZERGLASS

Collection

The LAZERGLASS gates are characterised by glass units which can be installed in various positions in the gates. A custom house name can be fitted onto the glass and with a backlight option, these gates give a new twist to a popular design available with standard 125 mm boards or larger 250 mm boards.



Frosted coating any font of your choice



LAZERGLASS sliding gate



LAZERGLASS swing gates with led lighting



LAZERGLASS swing gates with letterbox built into the gate



LAZERGLASS sliding gate

NIGHT & DAY®

Collection

GATES CONNECTED WITH LED LIGHTING SYSTEM



Download the app
and organize your colours
with your smartphone
or your tablet

Model shown with claws and large 250 mm boards (optional)

COLLECTION OF GATES WITH INTEGRATED LED LIGHTING

The Night & Day® portals are equipped with a LED and high quality lighting system.

With your smartphone or tablet you can control and customise your lighting in an intuitive and fun way. You can also choose between several panels, obtained by laser cutting sheet metal on Alunox brushed stainless steel finish.



Model shown with claws and large 250 mm boards (optional)

Claws


Night & Day® with claws design, shown with 125 mm boards



SYSTEM KEY POINTS

TWO LIGHTING OPTIONS:

Version « Premium Light »



- . Interior and exterior lighting.
- . LED lighting system with infinite choice of colours and colour sequences.
- . Colour management by Smartphone and tablet (with wi-fi connection to the gate) or by remote control.
- . Smartphone or tablet not included.

Version « Single Light »

- . Exterior lighting only (street side)
- . 1 LED (monochromatic light)
- . Function on / off by remote control

3 colours : white, blue, red.



PANEL STYLES

10 designs to choose from as standard. Patterns obtained by laser cutting sheet metal on Alunox brushed stainless steel finish.



Circles




Sun



Moons



Lines



REVELATION

Collection

GATES WITH CHOICE OF MATERIALS

Personalisable gates with a choice of infills: glass, solid and perforated aluminium sheet, and stainless mesh

With the REVELATION range you can design your gate according to your tastes and in a resolutely modern style. Through the combinations of design, colours and materials your gate will be a unique creation.

PERSONALISATION

Materials that can be used in the personalisation areas of pedestrian gates, gates and fences

Laminated glass thickness 8 mm (as standard)

Aluminium sheet thickness 2 mm solid or perforated R10T15 (as standard)

Aluminium sheet thickness 2 mm perforated Harmony with square perforations 10 X 10 mm (at additional cost)

Design bars 80 X 22 mm (as standard)

Louvred bars 120 X 22 mm (at additional cost)

Bi-colouration possible (no added cost in standard colours)

TINTED GLASS COLOURS



Dark Pink

Light Pink



Dark Yellow

Light Yellow



Dark Blue

Light Blue



Dark Grey

Light Grey



Clear


Opaque

Bronze

ALUMINIUM SHEET


PERFORATED LACQUERED R10T15

(Holes Ø 10 mm and distance between holes centre to centre is 15 mm)



Examples of colours. The entire RAL colour chart is available.

PERFORATED LACQUERED HARMONY



SOLID LACQUERED SHEET



STAINLESS MESH OROS model only

GATES WITH CHOICE OF MATERIALS



OROS Model - WITH STAINLESS MESH ONLY Infill with mix of 330, 250, and 70 mm boards



Pedestrian gate + swing gates



Sliding gate



STAINLESS MESH
OROS model only

REVELATION

Collection



ALGA 1 - Swing gates with curved uprights (option)

ALGA Model


Materials available to replace bars:



Glass infill: 11 standard colours, see page 38



R10T15 sheet




Harmony sheet




Solid sheet

Design bars 80 x 22 mm as standard




ALGA 1

ALGA 1 Fence




ALGA 2

ALGA 2 Fence



ALGA 3

ALGA 3 Fence



ALGA 4

ALGA 4 Fence

Fence height up to 1.50 m. Maximum distance between 2 posts: 2.5 m.


WITH CURVED UPRIGHTS



ALGA 1 with curved uprights
Available on ALGA 1 to 4

Fence ALGA 1 with curved uprights
Available for fences ALGA 1 to 4

WITH LARGE BOARDS



ALGA 1 Wide boards
Available on ALGA gates 1 to 4
(not possible with curved uprights)

Fence ALGA 1 Wide boards
Available for fences ALGA 1 to 4
(not possible with curved uprights)

GATES WITH CHOICE OF MATERIALS



TERA 2 - Swing gates

TÉRA, ALTAR Models


Materials available
to replace bars:



Glass infill: 11 standard colours, see page 38



R10T15 sheet




Harmony sheet



Solid sheet

Standard bars 80 x 22 mm




TERA 1

TERA 2

TERA 1 Large boards
Versions 1 & 2

Standard bars 80 x 22 mm



ALTAR 1

ALTAR 2

ALTAR Large boards
Versions 1 to 4




ALTAR 3



ALTAR 4

Set: pedestrian gate / swing gates / fence
Fence height up to 1.50 m.
Maximum distance between 2 posts: 2.5 m




TERA 1

TERA 1 Fence

Sloped fence not possible

Set: pedestrian gate / swing gates / fence
Fence height up to 1.50 m.
Maximum distance between 2 posts: 2.5 m



ALTAR 1

ALTAR 1 Fence

Sloped fence not possible

REVELATION

Collection



NAOS 1 WITH FLAT TOP - Sliding gate and pedestrian gate

NAOS Model


Materials available:



Glass infill: 11 standard colours, see page 38
(except basement)




R10T15 sheet




Harmony sheet




Solid sheet




NAOS 1 flat top



NAOS 2 flat top



NAOS 3 flat top



NAOS 4 flat top



NAOS 1 convex




NAOS 2 convex




NAOS 3 convex




NAOS 4 convex



NAOS 1 concave



NAOS 2 concave




NAOS 3 concave



NAOS 4 concave

Curved design:
Max. width 4.50 m (instead of 5.50 m)

The NAOS fence exists in 2 versions:
NAOS 1 and NAOS 3



NAOS 1 Fence

Fence panels are also
customisable identical
to the gates
(solid or perforated
sheet, coloured glass)



NAOS 3 Fence

Fence height from 1.10 m to 1.50 m
Sloped fence not possible

GATES WITH CHOICE OF MATERIALS




KAJAM 1 - Sliding gate

KAJAM Model

Materials available:



Glass infill: 11 standard colours, see page 38



R10T15 sheet




Harmony sheet




Solid sheet




KAJAM 1




KAJAM 2




KAJAM 3




KAJAM 4




KAJAM 1



KAJAM 3



KAJAM 2



KAJAM 4

GATES WITH LASER CUT PATTERNS

A series of 21 patterns in vertical or horizontal formats



IZIS swing gates with Bourbon pattern



IZIS swing gates with Courbes pattern



MEZZO sliding gate with Provence pattern




IZIS swing gates with Moka pattern


MODELS WITH VERTICAL PATTERNS

IZIS Model - WITH VERTICAL LASER PATTERNS ON THE SIDES

With vertical or horizontal boards, **125 x 25 mm** as standard and wide boards **250 x 25** in option
Also available with only one pattern (OZ model)




Pedestrian gate + swing gates




Sliding gate

MEZZO Model - WITH VERTICAL LASER PATTERNS IN THE CENTRE OF THE GATE

Characteristics: identical to the IZIS model




Pedestrian gate + swing gates




Sliding gate

TZAR Model - VERTICAL LASER PATTERNS INTEGRATED IN THE INFILL

With vertical wide boards **250 x 25 mm** and mix of **20 mm** and **70 mm** boards




Pedestrian gate + swing gates




Sliding gate

FORZA Model - VERTICAL LASER PATTERNS INTEGRATED IN THE INFILL

With vertical wide boards **250 x 25 mm** and mix of **20 mm** and **70 mm** boards



Pedestrian gate + swing gates




Sliding gate

ZERUS 1 TO 4 Models - VERTICAL PATTERN ON THE SIDES / INFILLS WITH HORIZONTAL BARS

Available in sliding version and with laser patterns in the centre of the gates



Zerus 1
100 x 22 mm bars



Zerus 1
100 x 22 mm bars



Zerus 2
150 x 22 mm bars



Zerus 3
150 and 45 x 22 mm bars



Zerus 4
150 and 45 x 22 mm bars

LAZER

Collection



CRIOLLO design



SALAZIE design



HIBISCUS design

ALL VERTICAL LASER PATTERNS



VACOA design



VOLUTES design



TOSCANE design



MOKA design



BOURBON design



TYPICA design



REFLETS design



FORUM design



RYTHME design



SAMBA design



COURBES design



PROVENCE design



NATURA design



TROPIQUE design



VARIATIONS design



AUSTRAL design



COUP DE VENT design



LAUZE design

LAZER

Collection




MODELS WITH HORIZONTAL PATTERNS

MUZE Model - HORIZONTAL LASER PATTERNS AT THE TOP OF THE GATE

With vertical or horizontal boards, **125 x 25 mm** as standard and wide boards **250 x 25** in option



Vertical standard boards



Horizontal wide boards


The MUZE model is available in swing and sliding versions

CRUZ Model - HORIZONTAL LASER PATTERNS INTEGRATED IN THE INFILL

With horizontal wide boards **250 x 25 mm**



Pedestrian gate + swing gates




Sliding gate

EZOPE Model - HORIZONTAL LASER PATTERNS INTEGRATED IN THE INFILL

With horizontal wide boards **250 x 25 mm** and mix of **20 mm and 70 mm** boards




Pedestrian gate + swing gates




Sliding gate

ZELANDE Model - HORIZONTAL LASER PATTERNS INTEGRATED IN THE INFILL

With horizontal extra-wide boards **330 x 25 mm**




Pedestrian gate + swing gates




Sliding gate

ZELANDE ASYMMETRICAL Model - HORIZONTAL LASER PATTERNS INTEGRATED IN THE INFILL

With horizontal extra-wide boards **330 x 25 mm**




Pedestrian gate + swing gates



Sliding gate

LAZER

Collection



MUZE swing gates with Rythme pattern



CRIOLLO design



SALAZIE design



HIBISCUS design

ALL HORIZONTAL LASER PATTERNS



VACOA design



VOLUTES design



TOSCANE design



MOKA design



BOURBON design



TYPICA design



REFLETS design



FORUM design



RYTHME design



SAMBA design



COURBES design



PROVENCE design



NATURA design



TROPIQUE design



LAUZE design



AUSTRAL design



COUP DE VENT design



VARIATIONS design



MUZE swing gates with Courbes design



Special fabrication with Provence design



MUZE swing gates with Rythme design (and horizontal wide boards)



MEZZO sliding gate with Variations design



MEZZO swing gates with Samba design



IZIS swing gates with Natura design



MUZE swing gates with Lauze design (and horizontal wide boards)



MUZE swing gates with Volutes design



MUZE sliding gate with Austral design



Fence with Courbes design



IZIS gate with TYPICA design

ANODISED

Collection

GATES WITH ANODISED BOARDS

A Collection of gates with 20 mm and 125 mm anodised boards and 45 mm anodised bars





TOSKA sliding gate



KANTUM sliding gate



TOSKA swing gates


WHAT IS ANODISATION ?

Anodising is a surface treatment that provides an aesthetic benefit by highlighting the metallic aspect of aluminium. Our anodisation is certified by QUALANOD quality label which guarantees in particular the thickness of the anodising layer and the performance of resistance tests.




KANTUM Model

With horizontal wide boards 250 x 25 mm and 20 x 25 mm anodised boards




Pedestrian gate + swing gates




Sliding gate

TOSKA Model

With horizontal wide boards 250 x 25 mm / 125 x 25 mm standard boards and 20 x 25 mm anodised boards



Pedestrian gate + swing gates



Sliding gate


ANODISED

Collection



KAPITOL swing gates

BAİKA MODEL




Pedestrian and swing gates



Sliding gate

ENAK MODEL




Pedestrian and swing gates



Sliding gate

ESKADA MODEL




Pedestrian and swing gates



Sliding gate

20 MM ANODISED BOARDS

EUREKA MODEL




Pedestrian and swing gates



Sliding gate

KANDARA MODEL




Pedestrian and swing gates



Sliding gate

KAPITOL MODEL




Pedestrian and swing gates




Sliding gate

KARMA MODEL




Pedestrian and swing gates



Sliding gate

KAZAN MODEL




Pedestrian and swing gates



Sliding gate

SKALA MODEL




Pedestrian and swing gates



Sliding gate

VIKTORIA MODEL



Pedestrian and swing gates



Sliding gate

ANODISED



Collection




WITH ANODISED BARS AND VERTICAL BOARDS

KONDOR Model

150 x 22 mm horizontal bars and **45 x 22 mm** anodised horizontal bars




Pedestrian and swing gates




Sliding gate

ORENOKE Model

250 and 70 x 25 mm wide vertical boards / **20 x 25 mm** anodised vertical boards



Pedestrian and swing gates



Sliding gate

ANODISED COLLECTION : DESIGN AND PERSONNALISATION

INTERIOR AND EXTERIOR DESIGN

The anodised finish is on the entire infill, front / back.

In this way, the integration of the infills in the design of the gate provides a visible pattern on the inside and outside of the property.

CUSTOMISABLE DESIGN

You can create your own design, either by taking inspiration from the models in the range, or by starting from a blank page. Depending on your design, a pedestrian gate and fence can also be adapted. A prior technical assessment will be carried out by our design office..

INTERIOR ET EXTERIOR DESIGN



Infill finish
« anodised »

Gate in the
colour of your
choice



QUALANOD quality label

ANODISED

Collection



AKADIA swing gates



KOBAL swing gates



AKERA sliding gate




AKERA sliding gate


125 MM ANODISED BOARDS

All the models are shown in swing gates version with pedestrian gate / Also available in sliding version


KOBAL Model




KETIS Model




KOVER Model




KAZAL Model




KEVA Model




KEOS Model




ALKOR Model




AKADIA Model




AKERA Model




KORN Model



ISKER Model



All gates in the ANODISED range are available with coordinated railings and fences. Below is an example of the KOBAL model



Set: Pedestrian gate / swing gates / fence model KOBAL
Fence height up to 1.50 m. Maximum distance between 2 posts: 2.5 m.

BRUSHED STAINLESS STEEL FINISHING

4 different designs in brushed stainless steel finish



GATES WITH BRUSHED STAINLESS STEEL INSERTS

Resolutely modern, the Stainless Insert range of gates are available in several variants with 4 shapes of inserts: square, diamond, vertical lines and horizontal lines. All gates are available in hinged and sliding versions, with matching railings and fences on request.

DESIGN INSIDE AND OUTSIDE

The stainless steel decorations are placed symmetrically on both sides of the gate. The decorations are fixed to the boards of the gate and screwed together by stainless steel fixings. The fixings are visible on the inside.



Brushed stainless steel decorations

Gate in the colour of your choice



KERO 1



KERO 2




ALTO 1



SENSO 1



SENSO 2



LYSEO 1



LYSEO 2



LYSEO 2 - Sliding gate



KERO 1 - Swing gates



SENSO 1 - Swing gates

INLAID ALUMINIUM DESIGN



INLAID ALUMINIUM DESIGN



COTIM 11 Model - MODEL WITH HORIZONTAL ALUMINIUM INLAID DECORATIONS
2 finishes, mirrored or brushed stainless steel
All models available in sliding version



Cotim 11 - M1



Cotim 11 - M2



Cotim 11 - M1
Large boards



Cotim 11 - M2
Large boards



COTIM 11 M2 - Sliding gate



COTIM 11 M2 - Sliding gate with large boards



COTIM 11 M1 - Swing gates with large boards



COTIM 11 M1 - Swing gates with large boards

DECOR

Collection

WITH AWARD WINNING DESIGNS




ANTALYA sliding gate

WITH AWARD WINNING DESIGNS



ANTALYA

Model with brushed stainless steel inserts and white translucent glazing




ANTALYA - M1



ANTALYA - M2



ANTALYA - M3



ANTALYA - M1
Large boards



ANTALYA - M2
Large boards




ANTALYA - M3
Large boards



COTIM 39

Model with brushed stainless steel inserts




COTIM 39 - M1




COTIM 39 - M2



COTIM 39 - M3




COTIM 39 - M1
Large boards



COTIM 39 - M2
Large boards




COTIM 39 - M3
Large boards



ATLANTIDE

Model with brushed stainless steel inserts and white translucent glazing




ATLANTIDE - M1



ATLANTIDE - M2



ATLANTIDE - M3



ATLANTIDE - M1
Large boards



ATLANTIDE - M2
Large boards




ATLANTIDE - M3
Large boards



ARKAD

Model with brushed stainless steel inserts and white translucent glazing




ARKAD - M1



ARKAD - M2




ARKAD - M3



ARKAD - M1
Large boards



ARKAD - M2
Large boards




ARKAD - M3
Large boards

CONFIDENCE

Collection

The **CONFIDENCE** range is characterised by a simple filling of 125 mm aluminium boards, in which are placed inserts with circle, cross or diamond patterns in the central part. The decorative inserts, all available as standard, bring a touch of originality and give the gates of this range, unique on the market, a simple design of strength and elegance.



GARANCE swing gates with inclined boards at 45° (optional)

3 STYLES OF INSERTS AS STANDARD

CIRCLES



CROSSES



DIAMONDS



The inserts can be painted in any standard RAL colour of your choice.



CONSTANCE



PROVIDENCE



GARANCE



CONFIANCE



PRÉSENCE



JOUVENCE



CLÉMENCE



CONNIVENCE



GARANCE swing gates with 45° inclined boards (option)

TRADITIONAL


Collection

The **TRADITIONAL range** offers a wide variety of gates, available in swing or sliding versions, with matching pedestrian gate and fencing. This range replaces the iron gates of which they adopt the style and the elegance, without the inconveniences of corrosion and maintenance.

The customisation of the **TRADITIONAL range** offers a considerable number of aesthetic solutions and a choice of combinations to make your gate a unique piece.


DECORATIVE FINIALS

A range of finials available, either coloured to match your gate or in matt gold.




SCROLLS

Option available for Traditional gates with bars without privacy panels. These decorative scrolls are painted the same colour as the gate or in matt gold finish (optional).



EXAMPLES OF POSSIBLE COMBINATIONS




COLLARS AND BUTTERFLIES

Two decorative motifs are available for the grooved bars of the **TRADITIONAL** gates, in the colours of the gate or matt gold (optional).



Collar Butterfly



DIAMOND POINTING (optional)



MOTIFS

Options available for **TRADITIONAL** gates with sheet metal base (except diamond pointed base). These decorative motifs are coated to the colour of the gate or in matt gold finish (optional).



Motif VILLANDRY
700 x 380 mm



Motif VENDÔME
385 x 195 mm



Motif VENDÔME
385 x 195 mm

ROSETTES AND QUARTER ROSETTES

Options available for **TRADITIONAL** gates with sheet metal base (except diamond pointed base). These decorative motifs are coated to the colour of the gate or in matt gold finish (optional).



AMBOISE
Ø: 170 mm



CHINON
Ø: 110 mm



FONTAINEBLEAU
Ø: 95 mm



BLOIS
Ø: 65 mm




AMBOISE
Gold matt finish (optional)



AMBOISE
Quarter rosette

The **AMBOISE** quarter rosette is used to enhance the central design of all the models of rosettes and motifs. Available for **TRADITIONAL** gates and gates with straight intermediate rail.

EXAMPLES OF POSSIBLE OPTIONS



TRADITIONAL

Collection



GENTIANE




FALCAIRE


FULL BAR GATES

Swing and sliding gate options with flat or curved top rail

Without decorative circles



ELLEBORE



ELYME

Decorative Circles: several locations to choose from



FOUGERE



CIRCEE



HESPERIS




IRIS with IBERIS pedestrian gate

DOUBLE BAR GATES

Swing and sliding gates. Straight or curved top rail

Without decorative circles




IBERIS



IRIS

Decorative circles in the top rails only



JACEE



JONQUILLE




JASIONE


MODELS WITH TOP BARS AND SOLID PANEL BOTTOM

Available styles: straight, curved, double curved swing and sliding gates. Double curved crossrails (swing gates only)
Examples of styles below


Without decorative circles



KERNERA




KETMIE




KOCHIA


Decorative circles in centre rails



LOTUS



LIPARIS




LYCHNIS



LIPARIS

Decorative circles in the top rails



MYOSOTIS




MONTIA



MARSAULT


Decorative circles in the top and centre rails



NAÏADE



NESLIA



NEFLIER



NESLIA with motifs and finials in gold matt



PHALARIS with motifs (option)



KERNERA with motifs (option)



IRIS sliding gate



NESLIA swing gates & KERNERA fencing



KERNERA fence with privacy panelling



NESLIA swing gates with gold matt motifs



JONQUILLE swing gates



PHALARIS swing gates with gold matt motifs and finials



MARSAULT swing gates with double bars and motifs



MONTIA swing gates with gold matt motifs and finials



MONTIA swing gates

PRIVACY PANELS


The panels allow for extra privacy in the top of the gate. Made from 2 mm aluminium sheet, they are inserted into grooves within the vertical bars. The privacy panels are finished in the same high standard as the gate. Not available with double curved gates as a straight central crossrail is required.




PHALARIS with motifs (option)

SWING GATES AND SLIDING GATES
AVAILABLE IN STRAIGHT OR CURVED TOP MODELS
EXAMPLES BELOW

Without decorative circles




OLEA




ORIGAN

Also available with inverted swept top




ORPIN




OPHRYS

Decorative circles in the middle of the gates



PARNASSIA




PHALARIS

Also available with inverted swept top




PERSEA




PAVONIA

Decorative circles in the top of the gates



QUERCUS




QUILLOR

Also available with inverted swept top




QUINOA




QUASSIA

Decorative circles in the top and middle of the gates



RYBIA




ROSA

Also available with inverted swept top



RUBUS



ROMARIN



QUILLOR with motifs




ROSA with non-through bars at the top section


FENCING

The 5 types of TRADITIONAL fencing available in open and panelled versions allow the creation of complete all round matching security to your home.
The patented adjustable posts and panels allow your project to be installed exactly to your requirements.

DECORATIVE FINIALS FOR FENCE POST (OPTION),
MATCHED TO THE FINIALS OF THE BARS




Example with ball finials




ACANTHE fencing




ACANTHE fencing
with panels (option)




KERNERA fencing




KERNERA fencing
with panels (option)




LOTUS fencing




LOTUS fencing
with panels (option)




MYOSOTIS fencing



MYOSOTIS fencing
with panels (option)




NAÏADE fencing



NAÏADE fencing
with panels (option)

Height (H) of fence up to 1.50 m
Maximum distance between 2 posts: 2 m
With grooved bars Ø 23.5 mm
Distance between bars: 102 mm



KERNERA fence with privacy panelling



KERNERA fence with privacy panelling



MYOSOTIS fence with privacy panelling and non-through bars



KERNERA fence

THE CONVENIENCE OF AN AUTOMATED GATE

AUTOMATED GATES

The most obvious benefit of having an automatic gate is increased security. Everyone wants to feel safe and secure in their own home and automatic gates often prove the best way to boost your security. Automatic gates provide opportunities like installing cameras and voice communication systems, so you can decide based on the information your visitor gives you, whether or not you'd like to let them in. With automatic gates, you as the homeowner are completely in control of what enters and leaves your property.

UNOBTRUSIVE UNDERGROUND AUTOMATION

Underground motors can be fixed under a gate so that the automation is more discreet which is sometimes desirable on automatic gates. The gate control equipment is the same as on other types of gate automation but the motors are mounted in load bearing foundation cases and the drive arm effectively becomes the bottom hinge of the gate. Underground gate motors are weatherproof and designed to be outdoors but do require effective drainage to ensure a long and reliable life.

ARTICULATED ARMS

These types of motors are usually fitted in the centre of the gate and are attached to the pillar or post and also to the gate. They have an articulated arm that can be used on pillars with centre hung gates that have difficult hinge geometry. The main motor is fitted on the pillar, and the arm attaches to the gate.

STANDARD ARMS

These types of motors are usually fitted in the centre of the gate and are attached to the pillar or post and also to the gate. They provide strong and smooth operation and are visible from the inside of the gate. The drive system is usually a worm drive but hydraulic options are also available.

SLIDING GATES TRACKED AND CANTILEVERED

There are two types of sliding gates.

Tracked Sliding Gate

The most common type is a tracked sliding gate, which has a track fixed to the floor on a suitable foundation and the gate runs along the track on wheels. This is supported by posts or a top roller and is usually driven by a motor via a rack and pinion system.

Cantilever Sliding Gate

The cantilever gate "floats" across the driveway entrance and is supported by a set of wheels mounted to a large concrete counter balance foundation.

This type of gate is ideal if the ground is uneven or on a slight slope, or where the client does not want a track across the drive.

Modes Of Operation

Open and closing of the gates can be by the following most common methods.

Wireless Transmitters - Intercom

Keypad - Mobile Phone

Bluetooth - Free Exit Loop

Please consult your "Portelier" for more details as the gates can be configured to suit any requirements you may have.





ALL THE RELIABILITY OF A HORIZAL GATE



The HORIZONTAL gates, which are mechanically assembled and therefore repairable, are characterised by the use of thick, specially designed aluminium profiles by our design department, as well as accessories made of cast aluminium and stainless steel, also developed by HORIZONTAL.


SWING GATES - Custom sizes: Height up to 2 m, Width up to 5.50 m*

- **Top hinge brackets** made of cast aluminium with precision adjustment and stainless steel screws. Delivered with aluminium cover colour matched to the gate [1]
- **Double toothed baseplate**, cast aluminium with stainless steel screws [2]
- **Adjustable integrated opening stops**, supplied as standard [3]
- **Solid reinforcement for drive arm**, standard [4]
- **Universal lock with adjustable latch**, with stainless steel latchplate
- **Aluminium handle**, colour matched to the gate
- **Cast aluminium centre stop**, with neoprene shock absorbers [5]
- **Side seals for solid gates**, integrated into standard pivot posts
- **Double closing strips**, inside and outside, between the 2 leaves
- **Special openings**: Opening up to 180°, rising hinges, opening with slope, opening in or out unequal leaves: possible after technical assessment



TRACKED SLIDING GATES - Customised dimensions: Height up to 2 m, Width up to 5.50 m *

- Specific receiver profile which supports the gate over its entire height in the closed position [6]
- Self-centering roller which ensures the alignment of the gate in the receiver catch on closing [if motorised] [6]
- Rack with steel reinforcement and aluminium profile rack-and-pinion [7]
- Motor limit switches integrated in the rack-and-pinion profile [7]
- High cast aluminium guide for the sliding of flat top gates [except TRADITIONAL] [8]
- Anti-lifting lateral guide for gates with shape, TRADITION and NAOS [Range REVELATION]
- Safe bearing with protective shoe made of cast aluminium colour matched to the gate [9]
- Quiet movement with Delrin wheels Ø 12.2 cm on aluminium track [shaft on waterproof ball bearing] [9]
- Blade-view installed on the delivery side of the gate, ensures complete privacy in full gate
- Aluminium die-cast back stop with rubber damper, fixed on aluminium rail [10]



* H: height of the floor at the top of the pivot post [leaf] and of the lock [sliding] - L: width between pillars. The all-round models of CONTEMPORARY and TRADITIONAL are limited to 4.50 m in swing gate version. Self-supporting sliding gates are limited to 5 m. The GARITA sliding model [CONTEMPORARY range] is available in width up to 6 m [H limited to 1.75 m]. The NAOS gate [REVELATION range] is limited to 4.50 m in curved version.